Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	<i>№</i> 412	(380/278).CCLS.	US-PGPUB; USPAT; EPO	OR	OFF	2006/08/07 00:40
L3	M 691	(380/44).CCLS.	US-PGPUB; USPAT; EPO	OR	OFF	2006/08/07 00:44
L4	M 228	(380/286).CCLS.	US-PGPUB; USPAT; EPO	OR	OFF	2006/08/07 00:40
L5	M 241	(380/262).CCLS.	US-PGPUB; USPAT; EPO	OR	OFF	2006/08/07 00:40
L6	M 197	(380/279).CCLS.	US-PGPUB; USPAT; EPO	OR	OFF	2006/08/07 00:40
L7	M 602	(713/171).CCLS.	US-PGPUB; USPAT; EPO	OR	OFF	2006/08/07 00:40
L8	M 197	(380/279).CCLS.	US-PGPUB; USPAT; EPO	OR	OFF	2006/08/07 00:41
L9	M 39	"5937066"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	OFF	2006/08/07 00:45
L27	36	regenerate adj3 seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:06
L28	M 7	27 and key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:06
L29	150	recover adj3 seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:06

Γ	T		T	<u> </u>	T	
L30	181 M	recovery adj3 seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:06
L31	M 306	L29 or L30	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:06
L32	M 40	L31 and key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:06
L33	1678	seed and key and (public adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L34	111	L33 and regenerate	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L35	10	L33 and regenerate.ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L36	37876	saito.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L37	31	L36 and ks1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47

	Ţ		T			
L38	22466	seed and key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L39	1678	L38 and (public adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L40	Zn 463	seed same (public adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L41	4313	seed with random	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L42	363	L41 and L40	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L43	216840	seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L44	20445	public adj key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L45	70740	encryption or encrypt or encrypts	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47

	T				I	
L46	1582	L43 and L44 and L45	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L47	1275	L46 and ((user or client) same (information or password))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L48	1081	L43 same ((user or client) same (information or password))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L49	M 298	L47 and L48	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:47
L50	5628	(regenerate or recreate or regenerates or generate or derive or generates or devives or computes or compute) with seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:48
L51	841	L50 and L44	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:48
L52	695	L51 and ((user or client) same (information or password))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:48
L53	259	L52 and L48	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:48

				_		
L54	4454	seed same (recovery or regeneration or regenerate)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:48
L55	Jy 105	L54 and (encrypts or encyrpt or encryption)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 01:48
L56	58	L55 and (public adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	OFF	2006/08/07 01:56
L57	$ \mathcal{W}_1 $	("5321749").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2006/08/07 02:01
L58	W 1	("6345098").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2006/08/07 01:57
L59	1	("5835598").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2006/08/07 02:01
L60	0 241	59 and seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 02:01
L61	959	SCHWENK.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 02:01
L62	3	61 and seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 02:01

S1	1331	seed and key and (public adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 18:58
S2	89	S1 and regenerate	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 15:50
S3	10	S1 and regenerate.ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 15:54
S4	32430	saito.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 15:54
S5	31	S4 and ks1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:09
S6	202	(380/286).CCLS.	US-PGPUB; USPAT; EPO	OR	OFF	2005/10/12 18:11
S7	0	("1andseed").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2005/10/12 18:11
S8	28	S6 and seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:16
S9	392	seed same (public adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:17

		•				
S10	125	S9 same encryption	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:27
S11	571	(380/44).CCLS.	US-PGPUB; USPAT; EPO	OR	OFF	2005/11/04 11:37
S12	0	("seedandkey").PN.	US-PGPUB; USPAT; EPO	OR	OFF	2005/11/04 11:38
S13	19793	seed and key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:38
S14	1356	S13 and (public adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:39
S15	395	seed same (public adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:39
S16	376	S15 and random	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:39
S17	3645	seed with random	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:39
S18	310	S17 and S15	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:41

S19	242	regenerate with seed	US-PGPUB;	OR	OFF	2005/11/04 11:41
			USPAT; USOCR; EPO; DERWENT; IBM_TDB			
S20	0	S19 same (public adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:41
S21	3	S19 same (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:41
S22	66	S19 and key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:42
S23	14	S22 and encryption	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:45
S24	32	regenerate adj3 seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:47
S25	6	S24 and key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:47
S26	169	(380/279).CCLS.	US-PGPUB; USPAT; EPO	OR	OFF	2005/11/04 11:47
S27	12	S26 and seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:47

S28	138	recover adj3 seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:47
S29	166	recovery adj3 seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:47
S30	279	S28 or S29	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:48
S31	36	S30 and key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:48
S32	8	S31 and encryption	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:55
S33	497	key adj recovery	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:55
S34	183	S33 and seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 11:56
S35	179	S34 and (public adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:29

S36	497	key adj recovery	US-PGPUB;	OR	OFF	2005/11/04 12:29
330	457	key auj recovery	USPAT; USOCR; EPO; DERWENT; IBM_TDB	OK .		2003/11/04 12.29
S37	10	S36 same seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:30
S38	3682	seed same (recovery or regeneration)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:31
S39	3989	seed same (recovery or regeneration or regenerate)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	OFF	2005/11/04 12:31
S40	91	S39 and (encrypts or encyrpt or encryption)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:32
S41	86	S40 and key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:31
S42	51	S40 and (public adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:31
S43	1454	seed with (recovery or regeneration or regenerate)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:31

S44	44	S43 and (encrypts or encyrpt or encryption)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:32
S45	25	S44 and (public adj key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:32
S46	483	(713/171).CCLS.	US-PGPUB; USPAT; EPO	OR	OFF	2005/11/12 12:54
S47	0	(713/278).CCLS.	US-PGPUB; USPAT; EPO	OR	OFF	2005/11/12 12:54
S48	355	(380/278).CCLS.	US-PGPUB; USPAT; EPO	OR	OFF	2005/11/12 12:55
S49	302	key adj escrow	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/11/12 12:55
S50	216389	seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:11
S51	20349	public adj key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:11
S52	14138	private adj key	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 18:59

S53	70451	encryption or encrypt or encrypts	US-PGPUB; USPAT; USOCR; EPO; DERWENT;	OR	OFF	2006/07/31 18:59
S54	1572	S50 and S51 and S53	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 18:59
S55	1265	S54 and ((user or client) same (information or password))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:10
S56	1073	S50 same ((user or client) same (information or password))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:11
S57	296	S55 and S56	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:03
S58	267 AM	regenerate with seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:04
S59	2 M	S57 and S58	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:03
S60	10	S58 and S51	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:04

S61	1668	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:07
S62	0	trust adj centedr	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:08
S63	M77	trust adj center	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR .	OFF	2006/07/31 19:08
S64	0	S63 and S57	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:08
S65	10	S63 and "90"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR ·	OFF	2006/07/31 19:08
S66	0	S63 and S58	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:08
S67	73	S57 and CA	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:09
S68	5608	(regenerate or recreate or regenerates or generate or derive or generates or devives or computes or compute) with seed	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:10

				,		
S69	834	S68 and S51	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:10
S70	0	S63 and S69	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:10
S71	688	S69 and ((user or client) same (information or password))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:11
S72	257	S71 and S56	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:11
S73	58534	seed.ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:11
S74	169157	key.ab.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:12
S75	426	S73 and S74	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:12
S76	11	S75 and S72	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/07/31 19:12

S77	10	"6611599"	US-PGPUB;	OR	OFF	2006/08/06 19:51
			USPAT;			
	1.		USOCR;			
	1///		EPO;			
			DERWENT;			
			IBM_TDB			

8/7/06 2:02:12 AM C:\Documents and Settings\THo6\My Documents\EAST\Workspaces\10049258.wsp